

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: February 22, 1993

Date Received: February 16, 1993

Project: 7238, Health Dept. Re: Qual, PO #27717

**RESULTS FROM THE ANALYSIS OF SOIL SAMPLE  
FOR HEXAVALENT CHROMIUM**  
Results Reported as  $\mu\text{g/g}$  (ppm)

<u>Sample ID</u>	<u>Hexavalent Chromium</u>
M27717	<0.05
<b><u>Quality Assurance</u></b>	
Blank	<0.05
M27717 (Duplicate)	<0.05
M27717 (Matrix Spike) % Recovery	86%
M27717 (Matrix Spike Duplicate) % Recovery	89%
Spike Blank % Recovery	99%
Spike Level	0.1

2-MZP-A  
E-16-95  
9.3/11

Send Report To: Alaskan Copper  
Company PO Box 3546  
Address Seattle WA  
City, State, Zip 623-5800  
Phone # 7218  
Contact Gerald Thompson  
Date

AKC-0013739

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Andrew John Friedman  
James E. Bruya, Ph.D.  
(206) 285-8282

3008-B 16th Avenue West  
Seattle, WA 98119  
FAX: (206) 283-5044

**DUPLICATE COPY**

**February 22, 1993**

**INVOICE # 93ACU0222-1**

Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134

RE: Project 7238, Health Dept. Re: Qual, PO #27717: Results of the testing  
requested by Gerry Thompson, Project Leader and submitted on February 16,  
1993.

1 soil sample analyzed for Hexavalent Chromium  
@ \$35 per sample

\$ 35.00

Amount Due .....

**\$ 35.00**

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman  
James E. Bruya, Ph.D.  
(206) 285-8282

3008-B 16th Avenue West  
Seattle, WA 98119  
FAX: (206) 283-5044

February 22, 1993


Gerry Thompson, Project Leader  
Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on February 16, 1993 from Project 7238, Health Dept. Re: Qual, PO #27717.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,



Mark Z Perin  
Chemist

MZP/dp

Enclosures